

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : DR-448

Stream : South Branch Mud Creek

Applicant : Fulton County Surveyor
Don Towne
125 East 9th Street
Rochester, IN 46975-1500

Description : The project consists of brushing the ditch banks, pulling out logjams, and removing sand bars as needed. The channel will be lowered 1 to 1.5'. Details of the project are contained in information and plans received at the Division of Water on June 22, 2005.

Location : Beginning at the stream's confluence with Mud Creek, and continuing upstream approximately 3400' to the outlet of South Mud Lake
DOWNSTREAM: near Pershing, Liberty Township, Fulton County
S½, Section 16, T 29N, R 3E, Macy Quadrangle
Quad Code: 4008682
UTM Coordinates: Downstream 4534245 North, 566938 East
UPSTREAM:
UTM Coordinates: Upstream 4533570 North, 567720 East

Statute/Rule : "Ditch" Act, IC 14-26-5

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : DR-449

Stream : Mud Creek

Applicant : Fulton County Surveyor
Don Towne
125 East 9th Street
Rochester, IN 46975-1500

Description : The project consists of brushing and removing logjams and sand bars from station 0+00 to 660+00 (1600' west of State Road 25), removing 1-5 feet of sediment from station 660+00 to 886+00; and lowering the culverts stations 740+00 and 842+00 (3.5 and 2.5 feet respectively). Details of the project are contained in information and plans received at the Division of Water on June 22, 2005.

Location : Beginning at the stream's confluence with the Tippecanoe River and continuing upstream approximately 16 miles to the Nyona Lake dam
DOWNSTREAM: near Pershing, Liberty Township, Fulton County
S½, Section 16, T 29N, R 3E, Pershing Quadrangle
Quad Code: 4108613
UTM Coordinates: Downstream 4551594 North, 554934 East
UPSTREAM: S½, Section 16, T 29N, R 8E, Macy Quadrangle
Quad Code: 4008682
UTM Coordinates: Upstream 4534271 North, 567969 East

Statute/Rule : "Ditch" Act, IC 14-26-5

Application # : FW-23403

Stream : Elkhart River

Applicant : Connie and Eric Kleiman
943 Evans Street
Elkhart, IN 46516-4566

Description : Approximately 90' x 6' cedar privacy fencing and 325' of 48" chainlink fencing will be constructed in the floodway of the river. Details of the project are contained in information and plans received at the Division of Water on June 21, 2005.

Location : 943 Evans Street, approximately 150' to 300' east and 165' south of the intersection of Grace Street and Evans Street
at Elkhart, Concord Township, Elkhart County
NW¼, NW¼, NE¼, Section 9, T 37N, R 5E, Elkhart Quadrangle
Quad Code: 4108568
UTM Coordinates: Downstream 4614570 North, 587065 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23404

Stream : Honey Creek

Applicant : Charles Lake
2384 Forest Hill Boulevard
Greenwood, IN 46143-8283

Description : Approximately 84' of the creek's eroded east right streambank will be stabilized with riprap filled gabion baskets to protect the bank from further erosion. The baskets will be keyed into the streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 7', a maximum streamward projection of 3' beyond the existing bank, and 1:1 sideslopes. Details of the project are contained in information and plans received at the Division of Water on June 21, 2005.

Location : 2384 Forest Hills Boulevard; along the right (east) bank, approximately 2500' downstream (north) of the Stones Crossing Road (700 North Road) stream crossing
DOWNSTREAM: near Stones Crossing, White River Township, Johnson County SW $\frac{1}{4}$, NE $\frac{1}{4}$, SW $\frac{1}{4}$, Section 10, T 13N, R 3E, Bargersville Quadrangle
Quad Code: 3908652
UTM Coordinates: Downstream 4381535 North, 569485 East
UPSTREAM:
UTM Coordinates: Upstream 4381515 North, 569490 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23405

Stream : Unnamed Tributary Taylor Creek

Applicant : Russell Schaefer
11554 North Dearborn Road
Sunman, IN 47041-7520

Description : Approximately 500' of the Unnamed Tributary of Taylor's Creek eroded streambanks will be stabilized with end dumped 6" rip-rap over geotextile fabric to protect the bank from further erosion. The rip-rap will be keyed into the streambed at its base and will conform to the existing banks at the project limits. It will have a maximum height of 3' with 3:1 sideslopes. Details of the project are contained in information and plans received at the Division of Water on June 21, 2005.

Location : 11554 North Dearborn Road; approximately 2500' east and 600' west of the North Dearborn Road and Lawrenceville Road intersection
near Hubbells Corner, Jackson Township, Dearborn County
SE¼, SE¼, SW¼, Section 30, T 7N, R 2W, Sunman Quadrangle
Quad Code: 3908521
UTM Coordinates: Downstream 4344600 North, 669900 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23406

Stream : Horn Ditch

Applicant : City of Goshen
Mary Schaeffer, PE
Engineering Department
204 East Jefferson Street
Goshen, IN 46528-3404

Description : The existing single span, concrete box beam bridge will be replaced with a three-sided precast arch culvert. The proposed culvert will be skewed 30 degrees, have a 32' clear span, and an overall length of 100'. The crown of the arch will be at an elevation of 815.0', NGVD29. The existing structure will be completely. Due to the roadway widening and the required culvert length, the Lateral K Ditch immediately downstream of the existing bridge will be realigned approximately 30' further downstream along Horn Ditch. All disturbed ditch bottoms and banks will be protected by revetment riprap over geotextile fabric. The realigned portion of the Lateral K Ditch will have a cross sectional area greater than or equal to the existing conditions. Also, approximately 4000' of Kercher Road/County Road 38 will be widened and reconstructed. The road reconstruction includes: driveway approach reconstruction, bituminous pavement, curb and gutter construction, and storm sewer construction. In addition, two storm sewer outfall structures will be constructed downstream of the proposed culvert. A 48" pipe with pipe anchors and riprap protection will be placed on the west side of the proposed culvert and will outfall directly into Horn Ditch. A 24" pipe with a metal end section and riprap protection will be placed on the east side of the proposed culvert and will outfall into the Lateral K Ditch approximately 220' east of Horn Ditch. Both outfall structures will have invert elevations of 808.0', NGVD29. Details of the project are contained in information and plans received at the Division of Water on June 22, 2005.

Location : at the Kercher Road/ County Road 38 crossing
near Goshen, Elkhart Township, Elkhart County
SW $\frac{1}{4}$, SE $\frac{1}{4}$, SW $\frac{1}{4}$, Section 25, T 36N, R 6E, Goshen Quadrangle
Quad Code: 4108557
UTM Coordinates: Downstream 4600513 North, 601989 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23407

Stream : Unnamed Tributary Horn
Ditch

Applicant : City of Goshen
Mary Schaeffer, PE
Engineering Department
204 East Jefferson Street
Goshen, IN 46528-3404

Description : The existing single span, concrete box beam bridge will be replaced with a three-sided precast arch culvert. The proposed culvert will be skewed 30 degrees, have a 32' clear span, and an overall length of 100'. The crown of the arch will be at an elevation of 815.0', NGVD29. The existing structure will be completely. Due to the roadway widening and the required culvert length, the Lateral K Ditch immediately downstream of the existing bridge will be realigned approximately 30' further downstream along Horn Ditch. All disturbed ditch bottoms and banks will be protected by revetment riprap over geotextile fabric. The realigned portion of the Lateral K Ditch will have a cross sectional area greater than or equal to the existing conditions. Also, approximately 4000' of Kercher Road/County Road 38 will be widened and reconstructed. The road reconstruction includes: driveway approach reconstruction, bituminous pavement, curb and gutter construction, and storm sewer construction. In addition, two storm sewer outfall structures will be constructed downstream of the proposed culvert. A 48" pipe with pipe anchors and riprap protection will be placed on the west side of the proposed culvert and will outfall directly into Horn Ditch. A 24" pipe with a metal end section and riprap protection will be placed on the east side of the proposed culvert and will outfall into the Lateral K Ditch approximately 220' east of Horn Ditch. Both outfall structures will have invert elevations of 808.0', NGVD29. Details of the project are contained in information and plans received at the Division of Water on June 22, 2005.

Location : along Lateral K Ditch near the Kercher Road/ County Road 38
near Goshen, Elkhart Township, Elkhart County
SE¼, SW¼, SE¼, Section 24, T 36N, R 6E, Goshen Quadrangle
Quad Code: 4108557
UTM Coordinates: Downstream 4600513 North, 601989 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23409

Stream : Pleasant Creek

Applicant : Wilson Farms, LP
Robert J Wilson
8060 Madison Avenue
Indianapolis, IN 46227-6002

Description : A commercial facility will be developed along the north (right) bank of Pleasant Creek to provide space for a medical building and parking lot. Only a small portion of the asphalt parking lot, approximately 12,224 square feet will encroach on the limits of the floodway, consisting of excavation with asphalt pavement and will be constructed so that the finished pavement elevation will approximate existing ground elevations. The building is not within the limits of the floodway. Details of the project are contained in information received electronically at the Division of Water June 23, 2005.

Location : Along the north bank of Pleasant Creek approximately 1800' east (upstream) of Emerson Avenue and 3100' (0.60 mile) south of County Line Road

at Greenwood, Pleasant Township, Johnson County
Section 27, T 14N, R 4E, Beech Grove Quadrangle
Quad Code: 3908661

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23411

Stream : Vestal Ditch

Applicant : Carmel Clay School Corporation
Danielle Pearson
5185 East 131st Street
Carmel, IN 46033-9311

Description : The project being undertaken by Carmel Clay School Corporation will consist of the development of seven soccer fields and adjacent parking areas. The site is bounded by single-family residential subdivisions, Zoned S-1, on all sides: north, south, east, and west. The overall site consists of 80.327+/- acres located immediately north of 126th Street. The 80.327+/- acre site is undeveloped with the majority of the land use being agricultural and wooded. The FIRM Map Panel No. 18057C0235F revised February 19, 2003, indicates that Flood Zone AE encompasses the majority of the site. Flood Zone X encompasses an area along 126th Street west of River Road, as well as an area that includes the northern proposed parking area and the curb cut on River Road. On-site soils consist of Westland and Ockley Silt Loams. The site has a flat topography where the runoff sheet flows to the Emily Vestal Regulated Ditch, which runs through the middle of the project site and separates the two phases of construction. Improvements to the Emily Vestal Regulated Ditch will be by the Hamilton County Drainage Board or their authorized agent. Details of the project are contained in plans prepared by Paul I. Cripe, Inc May, 2005. The improvements will consist of dredging and channel improvements associated with approximately 2,484 feet of the Emily Vestal Regulated Ditch in accordance with the requirements of the Hamilton County Drainage Board. Details of the project are contained in information received electronically at the Division of Water on June 23, 2005.

Location : The project address is 12800 River Road, Carmel, Indiana on Parcel No. 17-10-27-00-00-006.000 and is bordered by 131st Street to the north, River Road to the east, and 126th Street to the south
at Noblesville, Hamilton County
E½, SE¼, Section 27, T 18N, R 4E

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23412

Stream : Fall Creek

Applicant : Monte Ulm
223 North Pendleton Avenue
Pendleton, IN 46064-1025

Description : The project entails replacing an existing chain link fence with an 8' high privacy fence. Details of the project are contained in information and plans received at the Division of Water on June 24, 2005.

Location : 233 North Pendleton Avenue; beginning approximately 100' west and 225' south of the Pendleton Avenue stream crossing extending west about 75' and north about 70'
DOWNSTREAM: near Pendleton, Fall Creek Township, Madison County
NW¼, SE¼, SW¼, Section 16, T 18N, R 7E, Anderson South Quadrangle
Quad Code: 4008516
UTM Coordinates: Downstream 4428849 North, 607013 East
UPSTREAM:
UTM Coordinates: Upstream 4428849 North, 607037 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23413

Stream : Wabash River

Applicant : Margaret Duncan
4738 West 1200 South
Covington, IN 47932-7900

Dean Hanson
4778 West 1200 South
Covington, IN 47932-7900

Description : An approximate 240' stretch of overbank will be filled to return the bank to pre-eroded conditions. The width of fill will range from 5' at the northwest and southeast limits to 30' in the center of the project area. End-dumped rip-rap and concrete will be placed into the riverbase to prevent further erosion. Details of the project are contained in information and plans received at the Division of Water on June 24, 2005.

Location : Along the south overbank approximately 1450' upstream of the State Road 136 stream crossing extending upstream (northwest) about 240'
DOWNSTREAM: near Covington, Mound Township, Warren County
SW¼, SE¼, SW¼, Section 26, T 20N, R 9W, Covington Quadrangle
Quad Code: 4008724
UTM Coordinates: Downstream 4443439 North, 465145 East
UPSTREAM: SE¼, SW¼, SW¼

UTM Coordinates: Upstream 4443485 North, 465063 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23414

Stream : William Lehr Ditch

Applicant : Beazer Homes
Anne Parker
9202 North Meridian Street
Suite 300
Indianapolis, IN 46260-1800

Description : A new bridge will be constructed over the William Lehr Ditch to carry road and pedestrian traffic across the stream. The new structure will be a single-span concrete arch bridge with total span length of 95'. The structure will have an out-to-out length of 40' and a clear roadway width of 90'. The spill through abutments will be vertical and constructed of concrete footings. The abutments and piers will not be skewed. The approach roads will be elevated a maximum of 802.5' NGVD29. A temporary construction access crossing will be placed within the right-of-way on the downstream (north) side of the proposed bridge. It will be completely removed from the floodway upon completion of the bridge. The project is privately funded. In addition to the above proposed activities, the floodplain upstream of the bridge will be excavated from a general elevation of 798.0' NGVD29 to 796.0' NGVD29. That portion of the floodway included in the floodplain upstream of the bridge and within the property limits will be excavated to the 796.0' NGVD29 elevation. This proposed activity will increase the conveyance capacity of the channel overbank areas. No in-channel excavation, or fill, activities are proposed at this time. Details of the project are contained in information received electronically at the Division of Water on June 24, 2005.

Location : Proposed bridge is approximately 1900' upstream from the 166th St. and William Lehr Ditch crossing. Floodway excavation activities will start at the proposed crossing and continue upstream for approximately 1300' near Noblesville, Noblesville Township, Hamilton County
Section 10, T 18N, Riverwood Quadrangle
Quad Code: 4008518

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23415

Stream : Ohio River

Applicant : Corn Island Shipyard
Charles Bates
PO Box 16
Lamar, IN 47550-0016

Description : A 45' x 55' commercial concrete building will be constructed at grade. Details of the project are contained in information and plans received at the Division of Water on June 27, 2005.

Location : Approximately 4600' upstream of the Crooked Creek confluence and 600' northwest
DOWNSTREAM: near Troy, Huff Township, Spencer County
NE¼, SW¼, SW¼, Section 16, T 6S, R 4W, Tell City, IN-KY Quadrangle
Quad Code: 3708687
UTM Coordinates: Downstream 4204150 North, 512175 East
UPSTREAM: Spencer County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23416

Stream : Potato Creek

Applicant : Potato Creek Crossing Development, LLC
Troy E Hanyzewski
26258 Stanton Road
Walkerton, IN 46574

Description : A new concrete span bridge will be constructed. The bridge will be prefabricated reinforced concrete with a 2' thick deck with wing walls. In order to accommodate a crane that will install the bridge, timber matting, gravel or mesh may be placed on the bank for construction purposes. The bridge will be approximately 40' x 40'. In addition, water and sanitary sewer lines will be installed approximately 400' downstream from the proposed bridge using the directional bore method. Details of the project are contained in information and plans received at the Division of Water on June 24, 2005.

Location : Approximately 1400' upstream of the State Road 23 crossing and extending approximately 400' upstream
DOWNSTREAM: near North Liberty, Liberty Township, St. Joseph County
SW¼, SE¼, NW¼, Section 28, T 36N, R 1E, North Liberty Quadrangle
Quad Code: 4108654
UTM Coordinates: Downstream 4598944 North, 548235 East
UPSTREAM: St. Joseph County

UTM Coordinates: Upstream 4599032 North, 548338 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23418

Stream : White Lick Creek

Applicant : Platinum Properties, L.L.C.
Scott G Murray
9551 Delegates Row
Indianapolis, IN 46240-3807

Description : The superstructure of the existing 19'-span bridge carrying County Road 800 East (Dan Jones Road) over White Lick Creek Tributary No. 3 (Lingerman Regulated Drain) will be widened from two (2) lanes to three (3) lanes to reduce traffic congestion. The existing 24 ft deck will be increased by extending the abutments and piers on the upstream face approximately 16 ft thereby increasing the out-to-out width to 40 ft. The approach roads will be raised approximately two (2") inches as part of resurfacing the existing roadway. Riprap will be installed along the inside abutment walls to prevent scour. In addition to said bridge extension, approximately 1230 lineal feet of the White Lick Creek Tributary No. 3 channel will be relocated upstream of the County Road 800 crossing to the County Road 200 North stream channel crossing. The project will commence at County Road 800 East and will terminate at County Road 200 North. Approximately 1,100 lineal feet of new channel will be constructed to replace the existing creek channel. This channel reconstruction/restoration is being conducted at the request of local permitting authorities, in order to move this channel away from the existing abutting county road system, to improve public safety. Approximately 10,000 cubic yards (cyds) of material will be removed from the new creek channel to create a 5 ft bottom width channel. The new channel sideslopes will vary from 5:1 to 10:1, and a 0.15% bottom slope will be constructed throughout the project length. The excavated material will be used to fill the existing creek channel. All disturbed areas in the overbank area will be permanent seeded and mulched. The newly constructed channel will be permanent seeded and erosion control blankets applied. Details of the project are contained in information received electronically at the Division of Water on June 28, 2005.

Location : In the southeast quadrant of the intersection of County Road 800 East (Dan Jones Road) and County Road 200 North
near Avon, Washington Township, Hendricks County
Section 36, T 16N, R 1E

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23419

Stream : Big Run

Applicant : Bay Development Corporation
Richard L Fidler
10415 North College Avenue
Indianapolis, IN 46280-1436

Description : Two new low-flow culvert crossings will be placed in Big Run to carry a multi-use recreational trail for the residents of Wolf Run Subdivision across the ditch. The new crossings will consist of twin, parallel 2 ft diameter circular RCP culverts set without headwalls. They will have upstream and downstream inverts of 796.5 ft, NGVD and 796.4 ft, NGVD, and 794.5 ft, NGVD and 794.4 ft, NGVD respectively. The inlet ends of the culverts are the socket ends of the RC pipes. Both the culverts will be skewed 45 degrees to the path to align with streamflow. Minor channel shaping will occur both downstream and upstream of the crossing to provide a better flow transition into and out of the culvert system. The shaping will be confined to the construction right-of-way. The shaped areas will be reseeded with native grasses. The approach areas of the paths will be constructed at grade. The crown of the pathway over the culverts will be 2 feet above the top of the RC pipes. Details of the project are contained in information received electronically at the Division of Water on June 28, 2005.

Location : On Big Run Creek, approximately 900 ft and 3750 ft upstream of the Senour Road crossing.
At Indianapolis, Franklin Township, Marion County
Section 33, T 15N, R 5E, Acton Quadrangle
Quad Code: 3908568

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23420

Stream : Turkey Creek

Applicant : Wawasee Area Conservancy Foundation
Heather Harwood, ASLA
PO Box 548
Syracuse, IN 46567-0548

Description : Maintenance dredging is proposed for an existing sediment trap located near the outlet of Turkey Creek into Gordy Lake. Approximately 873 cubic yards of sediment will be mechanically excavated by a long-reach backhoe from the sediment trap. The sediment will be placed directly from the sediment trap into a dewatering basin that is to be constructed prior to maintenance dredging. The dewatering basin is to be located approximately 20 feet south of the sediment trap. The dewatering basin will be constructed by excavating a small depression and using the excavated materials to form a berm around the depression. There will be no return water pipe as a part of this project. Water from the removed sediment will be allowed to naturally seep into the ground from the basin. Silt fencing or equivalent will be installed along the north, south, and west side of the dewatering basin. Upon drying the dewatering basin will then be leveled to match the existing landscape and seeded. Details of the project are contained in information received electronically at the Division of Water on June 28, 2005.

Location : The project is located near the outlet of Turkey Creek into Gordy Lake near North Webster, Sparta Township, Noble County
Section 5, T 33N, R 8E, North Webster Quadrangle
Quad Code: 4108536

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : NW-50

Stream : St. Joseph River

Applicant : Landworks Design Group
Patrick K Owens
167 Manor Avenue
Elkhart, IN 46516

Description : An existing seawall will be replaced with a new natural stone seawall along 80 ft of the north bank of the river to deter bank erosion. The new wall will be approximately 10ft high, as measured from the riverbed, will have the same alignment as the existing wall, and will tie into existing seawalls located on adjacent properties. Details of the project are contained in information received electronically at the Division of Water on June 27, 2005.

Location : Project location is approximately one mile upstream from CR 17 (sixspan bridge) located on the north shoreline
at Bristol, Washington Township, Elkhart County

Statute/Rule : Navigable Waterway Act, IC 14-29-1, with the associated Navigable Waterway Rule, 312 IAC 6

Application # : PL-20144

Lake : Simonton Lake

Applicant : Ray and Phyllis Schuler
26227 Lake Drive
Elkhart, IN 46514-6248

Description : A concrete seawall will be refaced with a layer of concrete across 50' of the applicant's 50' frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on June 23, 2005.

Location : 26227 Lake Drive, Lot 27, Lake Side Place
near Elkhart, Osolo Township, Elkhart County
SE¼, SW¼, NE¼, Section 17, T 38N, R 5E, Elkhart Quadrangle
Quad Code: 4108568
UTM Coordinates: Downstream 4621962 North, 585509 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20164

Lake : Witmer Lake

Applicant : Carl Calhoun
Jacalyn Calhoun
7830 South 140 East
Wolcottville, IN 46795-9001

Description : A concrete seawall will be constructed across 100' of the applicant's 100' frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on June 16, 2005.

Location : 7830 South 140 East; Lots 128 and 129 in Eagles Addition
near Wolcottville, Johnson Township, LaGrange County
NW $\frac{1}{4}$, SE $\frac{1}{4}$, SW $\frac{1}{4}$, Section 32, T 36N, R 10E, Oliver Lake Quadrangle
Quad Code: 4108554
UTM Coordinates: Downstream 4598386 North, 633542 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20165

Lake : Lake Wawasee

Applicant : Rich and Nancy Stage
8143 East Cherokee Road
Syracuse, IN 46567

Description : An existing 20' by 30' boatwell will be filled with a clean non-toxic material. A concrete seawall will be constructed across the wall's 20' frontage to contain the fill material. Additionally, a concrete seawall will be refaced across 30' of the applicant's 56' frontage. Details of the project are contained in information and plans received at the Division of Water on June 16, 2005.

Location : Lot 25 Stroh's Plat of Johnson Bay
at Syracuse, Turkey Creek Township, Kosciusko County
S $\frac{1}{2}$, NW $\frac{1}{4}$, NE $\frac{1}{4}$, Section 14, T 34N, R 7E, Lake Wawasee Quadrangle
Quad Code: 4108546
UTM Coordinates: Downstream 4584502 North, 610304 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20166

Lake : Bass Lake

Applicant : Maria Bartoszek
6385 South Highway 10
Knox, IN 46534

Description : A timber and concrete slab seawall will be removed and replaced with a new glacial stone seawall. Details of the project are contained in information and plans received at the Division of Water on June 21, 2005.

Location : 6385 South Highway 10
near Bass Lake, California Township, Starke County
NW¼, SW¼, NE¼, Section 24, T 32N, R 2W, Bass Lake Quadrangle
Quad Code: 4108625
UTM Coordinates: Downstream 4562180 North, 534293 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20167

Lake : Clear Lake

Applicant : Jim and Cathleen Nevin
13084 Southampton Court
Carmel, IN 46032-9400

Description : A glacial stone seawall was refaced with a layer of glacial stone across approximately 40' of the applicant's 40' frontage. Existing railroad ties and pieces of broken concrete were removed. Details of the project are contained in information and plans received at the Division of Water on June 21, 2005.

Location : 1120 Lake Drive
near Fremont, Clear Lake Township, Steuben County
NE¼, SW¼, SW¼, Section 19, T 38N, R 15E, Clear Lake, IN-OH-MI Quadrangle
Quad Code: 4108467
UTM Coordinates: Downstream 4622211 North, 678259 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20168

Lake : Lake James

Applicant : Carri Maureen Trine
PO Box 704
Angola, IN 46703-0704

Description : A concrete seawall will be constructed across 92' of the applicant's 92' frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on June 21, 2005, and June 27, 2005.

Location : 5040 North 300 West
near Fremont, Millgrove Township, Steuben County
SW $\frac{1}{4}$, SW $\frac{1}{4}$, SW $\frac{1}{4}$, Section 28, T 38N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4619809 North, 662417 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20169

Lake : Lake George

Applicant : Steve P Bennett
PO Box 512
Decatur, IN 46733-0512

Description : A new glacial stone seawall will be constructed. The lakeward face of the wall will be located along the lake's legal. Details of the project are contained in information and plans received at the Division of Water on June 21, 2005.

Location : 60 Lane 130 B
at Fremont, Jamestown Township, Steuben County
NW $\frac{1}{4}$, SW $\frac{1}{4}$, NE $\frac{1}{4}$, Section 14, T 38N, R 13E, Kinderhook, MI-IN Quadrangle
Quad Code: 4108571
UTM Coordinates: Downstream 4624195 North, 666238 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20171

Lake : Bell Lake

Applicant : Todd Kuhn
85 Mallards Court
Angola, IN 46703-8454

Description : The existing, unimproved sand boat ramp will be replaced with a 15' by 100' concrete boat ramp across 15' of the applicant's 900' frontage. The ramp will extend approximately 45' lakeward of the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on June 23, 2005.

Location : Common Area at Mallard's Landing Subdivision
near Orland, Millgrove Township, Steuben County
NE¼, NE¼, NE¼, Section 36, T 38N, R 12E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4619648 North, 659310 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20172

Lake : Little Barbee Lake

Applicant : Harold F Johnson
3931 East Lakeview Trail
Leesburg, IN 46538-9517

Description : A concrete seawall will be refaced with a layer of concrete across the applicant's 165' frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on June 24, 2005.

Location : EMS B61I Lane, lot #111
near Warsaw, Tippecanoe Township, Kosciusko County
NE¼, NW¼, NW¼, Section 28, T 33N, R 7E, North Webster Quadrangle
Quad Code: 4108536
UTM Coordinates: Downstream 4571886 North, 606755 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : PL-20173
- Lake : Lake Manitou
- Applicant : Ronald Kelly
107 Colina Calle Court
Minooka, IL 60447-9345
- Description : A concrete seawall will be constructed across 45' of the applicant's 45' frontage. The lakeward face of the wall will be located along the lake's legal/average normal shoreline. Details of the project are contained in information and plans received at the Division of Water on June 24, 2005.
- Location : 1409 Ewing Road, Lot 11 in Baker's Plat
near Rochester, Rochester Township, Fulton County
SE¼, NW¼, SE¼, Section 9, T 30N, R 3E, Rochester Quadrangle
Quad Code: 4108612
UTM Coordinates: Downstream 4545361 North, 567671 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11
- Application # : PL-20174
- Lake : Tippecanoe Lake
- Applicant : Larry Bair
14900 North 100 East
Summitville, IN 46070-9645
- Description : An existing 60' by 800' channel will be dredged. Approximately 4500 cubic yards of accumulated muck and debris will be removed from the channel bed by dredging to a maximum depth of 9' below the lake's legal level at the center of the channel and sloping uniformly to a depth of 3' or less at the shoreline. The excavated material will be transported to an upland containment area for dewatering and disposal. Details of the project are contained in information and plans received at the Division of Water on June 27, 2005.
- Location : Lots 1-19 , Russells Park Shelter Bay; Lots 1-7 in first addition Russells Park; Lots 1-6 in 2nd addition Russells Park
near North Webster, Tippecanoe Township, Kosciusko County
W½, E½, SW¼, Section 8, T 33N, R 7E, North Webster Quadrangle
Quad Code: 4108536
UTM Coordinates: Downstream 4575389 North, 605171 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20176

Lake : Cree Lake

Applicant : Jim Tuttle
10555 North A Drive
Kendallville, IN 46755-9722

Description : A new concrete seawall will be constructed. The lakeward face of the wall will be located along the lake's legal/average normal shoreline. Details of the project are contained in information and plans received at the Division of Water on June 27, 2005.

Location : 10555 North A Drive
near Kendallville, Wayne Township, Noble County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20179

Lake : Tippecanoe Lake

Applicant : Larry L Gullett
95 EMS T26B Lane
Leesburg, IN 46538-8926

Description : An existing concrete seawall will be refaced across a portion of the 50' frontage of the applicant on Tippecanoe Lake to prevent deterioration. The refacing will consist of reinforced concrete which will be tied to the existing wall with 1/2" rerod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 12" wide layer of gravel will be placed at the base of the wall for toe protection. A 24" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on June 29, 2005.

Location : Lot 18 Second Addition to Woods Oswego Lake Addition; South Western Side of Tippecanoe Lake on a channel
near Oswego, Plain Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20181

Lake : Clear Lake

Applicant : Knight S Anderson
309 Lake Drive Clear Lake
Fremont, IN 46737-9556

Chris M Grine
307 A Lake Drive Clear Lake
Fremont, IN 46737-9556

Description : A temporary pier will be placed in Clear Lake in front of the applicants' deeded easement to provide an access and mooring site for each and all owners of property that includes deeded rights to use said easement. The 3' wide wooden pier will extend 175' lakeward of, and somewhat perpendicular to, the lake's legal shoreline. It will be supported by 3" auger poles which will be turned into the lakebed using hand held tools. Drawings and color photographs are enclosed in the application package. Details of the project are contained in information received electronically at the Division of Water on June 30, 2005.

Location : On the west shore of Clear Lake, upon the deeded easement that exists east of Lake drive along vwhat was once Maple Street. The easement consists of 60 feet of land, both lake frontage and road frontage, between houses with the addresses 304 and 310 Lake drive and includes 30 feet of property on each of the two adjoining landowners' property
at Town of Pines, Clear Lake Township, Steuben County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11